



# PIX

Power Transmission Solutions

*Driving growth!*

## PIX-Muscle<sup>®</sup>-XS3

High-power, Maintenance-free, Wrap Belts



MUSCLE  
YOUR WAY TO  
**SUCCESS!** >>>

[www.pixtrans.com](http://www.pixtrans.com)


# PIX-Muscle®-XS3

## High-power, Maintenance-free, Wrap Belts

PIX-Muscle-XS3® are High-power rated, maintenance-free, eco-friendly Belts. They are manufactured to comply with the latest REACH directives and RoHS regulations.

The revolutionary design of the Belt compound does not emit any toxic substances, either during manufacture or when running, also performs well in the adverse conditions such as elevated temperature zones, UV or ozone exposure and chemically aggressive environments.

### Construction



1. High wear resistant outer jacketing, offers higher gripping strength
2. Maintenance free, low-stretch, premium polyester cords prevents elongation in the Belt
3. Fibre filled base compound for increased transverse rigidity

### Features

- › Extremely high power rating - up to 50% more than standard Belts
- › High efficiency up to 98%
- › Special cord for maintenance-free operation
- › Extended service life and less machine downtime
- › Anti-static complies with ISO 1813
- › Superior oil and heat resistance
- › REACH and RoHS compliant, provides an eco-friendly system
- › Extended temperature range: -25°C to +100°C

### Product range

Section	Top Width (mm)	Thickness (mm)	Angle (Degree)	Mfg. Range		Unit of Measurement	Length Designation
				Min.	Max.		
MF3-SPZ	10.0	8.0	40	365	4000	mm	Lp
MF3-SPA	13.0	10.0	40	576	9110	mm	Lp
MF3-SPB	17.0	14.0	40	1000	22943	mm	Lp
MF3-SPC	22.0	18.0	40	1861	22943	mm	Lp
MF3-3V	9.7	8.0	40	19.5	160	inch	La
MF3-5V	15.8	14.0	40	47	920	inch	La
MF3-8V	25.4	23.0	40	100	920	inch	La

# PIX-Muscle®-XS3

High-power, Maintenance-free, Banded Wrap Belts



## Product range


Section	Top Width (mm)	Thickness (mm)	Angle (Degree)	Pitch (mm)	Mfg. Range		Unit of Measurement	Length Designation
					Min.	Max.		
MF3-HSPZ	10.0	10.0	40	12.0	1205	9080	mm	Lp
MF3-HSPA	13.0	12.0	40	15.0	959	4515	mm	Lp
MF3-HSPB	17.0	17.0	40	19.0	1762	9331	mm	Lp
MF3-HSPC	22.0	22.5	40	25.5	2267	22943	mm	Lp
MF3-H3V	9.70	10.0	40	10.3	37	180	inch	La
MF3-H5V	15.8	16.5	40	17.5	51	920	inch	La
MF3-H8V	25.4	25.0	40	28.6	100	920	inch	La

## Application


Hot rolling mills, power plants, heat exchanger, compressors, vacuum pumps, grinders, kilns, blenders, paper and pulp industry, etc.

## Test Results


### Power rating





### Dynamic elongation



### Heat resistance




 PIX-Muscle®-XS  
 Standard Wrap Belt



# PIX-Muscle®-XS3

High-power, Maintenance-free, Wrap Belts

## Test Results

### Oil resistance



 PIX-Muscle®-XS  
 Standard Wrap Belt

### Cost savings

#### Application:

Blower runs 12 hours / day  
 Power: 250kW  
 Motor: 1440 RPM  
 Driver pulley pitch diameter: 315mm  
 Driven pulley pitch diameter: 1250mm  
 C-to-C distance: 1388mm

#### Cost benefit analysis:

Space savings: 26% approx.  
 Weight savings: 11% approx.  
 Drive cost savings: Up to 14% approx.

#### Conclusion:

Less no. of Belts + Lower width pulleys + space savings = Higher profit

#### Design output:

Regular SPC 5390, total 9 Belts are required  
 Now, PIX-Muscle®-XS3: SPC 5390, only 7 Belts are required


## Product range




SPZ		SPZ		SPZ		SPZ	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-SPZ 365	365	MF3-SPZ 660	660	MF3-SPZ 770	770	MF3-SPZ 870	870
MF3-SPZ 480	480	MF3-SPZ 675	675	MF3-SPZ 775	775	MF3-SPZ 875	875
MF3-SPZ 495	495	MF3-SPZ 680	680	MF3-SPZ 780	780	MF3-SPZ 880	880
MF3-SPZ 500	500	MF3-SPZ 685	685	MF3-SPZ 785	785	MF3-SPZ 885	885
MF3-SPZ 510	510	MF3-SPZ 695	695	MF3-SPZ 790	790	MF3-SPZ 890	890
MF3-SPZ 520	520	MF3-SPZ 700	700	MF3-SPZ 795	795	MF3-SPZ 900	900
MF3-SPZ 530	530	MF3-SPZ 710	710	MF3-SPZ 800	800	MF3-SPZ 910	910
MF3-SPZ 550	550	MF3-SPZ 720	720	MF3-SPZ 810	810	MF3-SPZ 915	915
MF3-SPZ 560	560	MF3-SPZ 725	725	MF3-SPZ 820	820	MF3-SPZ 920	920
MF3-SPZ 570	570	MF3-SPZ 730	730	MF3-SPZ 825	825	MF3-SPZ 925	925
MF3-SPZ 580	580	MF3-SPZ 735	735	MF3-SPZ 830	830	MF3-SPZ 930	930
MF3-SPZ 590	590	MF3-SPZ 740	740	MF3-SPZ 835	835	MF3-SPZ 935	935
MF3-SPZ 600	600	MF3-SPZ 745	745	MF3-SPZ 840	840	MF3-SPZ 940	940
MF3-SPZ 620	620	MF3-SPZ 750	750	MF3-SPZ 845	845	MF3-SPZ 945	945
MF3-SPZ 630	630	MF3-SPZ 755	755	MF3-SPZ 850	850	MF3-SPZ 950	950
MF3-SPZ 640	640	MF3-SPZ 760	760	MF3-SPZ 855	855	MF3-SPZ 955	955
MF3-SPZ 645	645	MF3-SPZ 762	762	MF3-SPZ 860	860	MF3-SPZ 960	960
MF3-SPZ 650	650	MF3-SPZ 765	765	MF3-SPZ 865	865	MF3-SPZ 965	965

# PIX-Muscle®-HXS3

## Product range




HSPZ		HSPZ		HSPZ		HSPZ	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-HSPZ-1205	1205	MF3-HSPZ-1587	1587	MF3-HSPZ-2160	2160	MF3-HSPZ-3500	3500
MF3-HSPZ-1220	1220	MF3-HSPZ-1600	1600	MF3-HSPZ-2180	2180	MF3-HSPZ-3550	3550
MF3-HSPZ-1250	1250	MF3-HSPZ-1612	1612	MF3-HSPZ-2182	2182	MF3-HSPZ-3750	3750
MF3-HSPZ-1270	1270	MF3-HSPZ-1637	1637	MF3-HSPZ-2187	2187	MF3-HSPZ-3800	3800
MF3-HSPZ-1280	1280	MF3-HSPZ-1650	1650	MF3-HSPZ-2200	2200	MF3-HSPZ-3985	3985
MF3-HSPZ-1285	1285	MF3-HSPZ-1662	1662	MF3-HSPZ-2240	2240	MF3-HSPZ-4000	4000
MF3-HSPZ-1287	1287	MF3-HSPZ-1675	1675	MF3-HSPZ-2280	2280	MF3-HSPZ-4120	4120
MF3-HSPZ-1300	1300	MF3-HSPZ-1687	1687	MF3-HSPZ-2287	2287	MF3-HSPZ-4210	4210
MF3-HSPZ-1312	1312	MF3-HSPZ-1690	1690	MF3-HSPZ-2300	2300	MF3-HSPZ-4285	4285
MF3-HSPZ-1320	1320	MF3-HSPZ-1700	1700	MF3-HSPZ-2360	2360	MF3-HSPZ-4300	4300
MF3-HSPZ-1335	1335	MF3-HSPZ-1706	1706	MF3-HSPZ-2410	2410	MF3-HSPZ-4320	4320
MF3-HSPZ-1337	1337	MF3-HSPZ-1732	1732	MF3-HSPZ-2423	2423	MF3-HSPZ-4400	4400
MF3-HSPZ-1340	1340	MF3-HSPZ-1737	1737	MF3-HSPZ-2437	2437	MF3-HSPZ-4500	4500
MF3-HSPZ-1350	1350	MF3-HSPZ-1750	1750	MF3-HSPZ-2450	2450	MF3-HSPZ-4515	4515
MF3-HSPZ-1360	1360	MF3-HSPZ-1762	1762	MF3-HSPZ-2500	2500	MF3-HSPZ-5000	5000
MF3-HSPZ-1362	1362	MF3-HSPZ-1787	1787	MF3-HSPZ-2540	2540	MF3-HSPZ-5100	5100
MF3-HSPZ-1385	1385	MF3-HSPZ-1800	1800	MF3-HSPZ-2600	2600	MF3-HSPZ-5200	5200
MF3-HSPZ-1387	1387	MF3-HSPZ-1837	1837	MF3-HSPZ-2650	2650	MF3-HSPZ-5300	5300
MF3-HSPZ-1400	1400	MF3-HSPZ-1850	1850	MF3-HSPZ-2670	2670	MF3-HSPZ-5400	5400
MF3-HSPZ-1412	1412	MF3-HSPZ-1862	1862	MF3-HSPZ-2685	2685	MF3-HSPZ-5500	5500
MF3-HSPZ-1420	1420	MF3-HSPZ-1900	1900	MF3-HSPZ-2690	2690	MF3-HSPZ-5600	5600
MF3-HSPZ-1437	1437	MF3-HSPZ-1937	1937	MF3-HSPZ-2700	2700	MF3-HSPZ-5700	5700
MF3-HSPZ-1450	1450	MF3-HSPZ-1950	1950	MF3-HSPZ-2760	2760	MF3-HSPZ-6000	6000
MF3-HSPZ-1462	1462	MF3-HSPZ-1960	1960	MF3-HSPZ-2780	2780	MF3-HSPZ-6300	6300
MF3-HSPZ-1470	1470	MF3-HSPZ-1962	1962	MF3-HSPZ-2790	2790	MF3-HSPZ-6700	6700
MF3-HSPZ-1487	1487	MF3-HSPZ-1987	1987	MF3-HSPZ-2800	2800	MF3-HSPZ-7000	7000
MF3-HSPZ-1500	1500	MF3-HSPZ-2000	2000	MF3-HSPZ-2840	2840	MF3-HSPZ-7365	7365
MF3-HSPZ-1512	1512	MF3-HSPZ-2030	2030	MF3-HSPZ-2875	2875	MF3-HSPZ-7450	7450
MF3-HSPZ-1520	1520	MF3-HSPZ-2037	2037	MF3-HSPZ-2890	2890	MF3-HSPZ-7500	7500
MF3-HSPZ-1535	1535	MF3-HSPZ-2060	2060	MF3-HSPZ-2900	2900	MF3-HSPZ-8100	8100
MF3-HSPZ-1537	1537	MF3-HSPZ-2062	2062	MF3-HSPZ-3000	3000	MF3-HSPZ-8300	8300
MF3-HSPZ-1550	1550	MF3-HSPZ-2100	2100	MF3-HSPZ-3150	3150	MF3-HSPZ-8500	8500
MF3-HSPZ-1560	1560	MF3-HSPZ-2120	2120	MF3-HSPZ-3200	3200	MF3-HSPZ-8750	8750
MF3-HSPZ-1562	1562	MF3-HSPZ-2137	2137	MF3-HSPZ-3350	3350	MF3-HSPZ-9000	9000
MF3-HSPZ-1585	1585	MF3-HSPZ-2150	2150	MF3-HSPZ-3450	3450	MF3-HSPZ-9080	9080



HSPA		HSPA		HSPA		HSPA	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-HSPA-959	959	MF3-HSPA-1800	1800	MF3-HSPA-2690	2690	MF3-HSPA-3450	3450
MF3-HSPA-975	975	MF3-HSPA-1850	1850	MF3-HSPA-2700	2700	MF3-HSPA-3500	3500
MF3-HSPA-990	990	MF3-HSPA-1900	1900	MF3-HSPA-2732	2732	MF3-HSPA-3550	3550
MF3-HSPA-1000	1000	MF3-HSPA-1950	1950	MF3-HSPA-2742	2742	MF3-HSPA-3750	3750
MF3-HSPA-1220	1220	MF3-HSPA-2000	2000	MF3-HSPA-2750	2750	MF3-HSPA-3800	3800
MF3-HSPA-1240	1240	MF3-HSPA-2050	2050	MF3-HSPA-2780	2780	MF3-HSPA-3985	3985
MF3-HSPA-1250	1250	MF3-HSPA-2100	2100	MF3-HSPA-2790	2790	MF3-HSPA-4000	4000
MF3-HSPA-1260	1260	MF3-HSPA-2120	2120	MF3-HSPA-2800	2800	MF3-HSPA-4060	4060
MF3-HSPA-1270	1270	MF3-HSPA-2150	2150	MF3-HSPA-2850	2850	MF3-HSPA-4120	4120
MF3-HSPA-1272	1272	MF3-HSPA-2200	2200	MF3-HSPA-2875	2875	MF3-HSPA-4210	4210
MF3-HSPA-1282	1282	MF3-HSPA-2240	2240	MF3-HSPA-2890	2890	MF3-HSPA-4250	4250
MF3-HSPA-1300	1300	MF3-HSPA-2282	2282	MF3-HSPA-2900	2900	MF3-HSPA-4285	4285
MF3-HSPA-1450	1450	MF3-HSPA-2300	2300	MF3-HSPA-3000	3000	MF3-HSPA-4300	4300
MF3-HSPA-1460	1460	MF3-HSPA-2360	2360	MF3-HSPA-3020	3020	MF3-HSPA-4320	4320
MF3-HSPA-1500	1500	MF3-HSPA-2400	2400	MF3-HSPA-3050	3050	MF3-HSPA-4400	4400
MF3-HSPA-1550	1550	MF3-HSPA-2432	2432	MF3-HSPA-3100	3100	MF3-HSPA-4500	4500
MF3-HSPA-1557	1557	MF3-HSPA-2450	2450	MF3-HSPA-3150	3150	MF3-HSPA-4515	4515
MF3-HSPA-1600	1600	MF3-HSPA-2500	2500	MF3-HSPA-3200	3200		
MF3-HSPA-1650	1650	MF3-HSPA-2600	2600	MF3-HSPA-3250	3250		
MF3-HSPA-1657	1657	MF3-HSPA-2650	2650	MF3-HSPA-3300	3300		
MF3-HSPA-1700	1700	MF3-HSPA-2670	2670	MF3-HSPA-3350	3350		
MF3-HSPA-1750	1750	MF3-HSPA-2685	2685	MF3-HSPA-3400	3400		

# PIX-Muscle®-HXS3


## Product range



HSPB		HSPB		HSPB		HSPB	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-HSPB-1762	1762	MF3-HSPB-2310	2310	MF3-HSPB-3050	3050	MF3-HSPB-4750	4750
MF3-HSPB-1770	1770	MF3-HSPB-2325	2325	MF3-HSPB-3100	3100	MF3-HSPB-4820	4820
MF3-HSPB-1785	1785	MF3-HSPB-2350	2350	MF3-HSPB-3125	3125	MF3-HSPB-5000	5000
MF3-HSPB-1800	1800	MF3-HSPB-2360	2360	MF3-HSPB-3150	3150	MF3-HSPB-5070	5070
MF3-HSPB-1825	1825	MF3-HSPB-2375	2375	MF3-HSPB-3170	3170	MF3-HSPB-5100	5100
MF3-HSPB-1830	1830	MF3-HSPB-2400	2400	MF3-HSPB-3300	3300	MF3-HSPB-5150	5150
MF3-HSPB-1840	1840	MF3-HSPB-2410	2410	MF3-HSPB-3350	3350	MF3-HSPB-5200	5200
MF3-HSPB-1850	1850	MF3-HSPB-2425	2425	MF3-HSPB-3400	3400	MF3-HSPB-5300	5300
MF3-HSPB-1860	1860	MF3-HSPB-2450	2450	MF3-HSPB-3450	3450	MF3-HSPB-5400	5400
MF3-HSPB-1880	1880	MF3-HSPB-2475	2475	MF3-HSPB-3500	3500	MF3-HSPB-5500	5500
MF3-HSPB-1900	1900	MF3-HSPB-2500	2500	MF3-HSPB-3550	3550	MF3-HSPB-5600	5600
MF3-HSPB-1925	1925	MF3-HSPB-2510	2510	MF3-HSPB-3556	3556	MF3-HSPB-5680	5680
MF3-HSPB-1950	1950	MF3-HSPB-2525	2525	MF3-HSPB-3600	3600	MF3-HSPB-5700	5700
MF3-HSPB-1975	1975	MF3-HSPB-2530	2530	MF3-HSPB-3650	3650	MF3-HSPB-5850	5850
MF3-HSPB-2000	2000	MF3-HSPB-2550	2550	MF3-HSPB-3670	3670	MF3-HSPB-5900	5900
MF3-HSPB-2020	2020	MF3-HSPB-2555	2555	MF3-HSPB-3700	3700	MF3-HSPB-5990	5990
MF3-HSPB-2025	2025	MF3-HSPB-2575	2575	MF3-HSPB-3733	3733	MF3-HSPB-6000	6000
MF3-HSPB-2030	2030	MF3-HSPB-2585	2585	MF3-HSPB-3750	3750	MF3-HSPB-6300	6300
MF3-HSPB-2050	2050	MF3-HSPB-2595	2595	MF3-HSPB-3800	3800	MF3-HSPB-6340	6340
MF3-HSPB-2055	2055	MF3-HSPB-2600	2600	MF3-HSPB-3810	3810	MF3-HSPB-6500	6500
MF3-HSPB-2060	2060	MF3-HSPB-2625	2625	MF3-HSPB-3850	3850	MF3-HSPB-6700	6700
MF3-HSPB-2070	2070	MF3-HSPB-2650	2650	MF3-HSPB-3900	3900	MF3-HSPB-6750	6750
MF3-HSPB-2075	2075	MF3-HSPB-2675	2675	MF3-HSPB-3950	3950	MF3-HSPB-6850	6850
MF3-HSPB-2080	2080	MF3-HSPB-2700	2700	MF3-HSPB-4000	4000	MF3-HSPB-7000	7000
MF3-HSPB-2100	2100	MF3-HSPB-2710	2710	MF3-HSPB-4020	4020	MF3-HSPB-7100	7100
MF3-HSPB-2112	2112	MF3-HSPB-2720	2720	MF3-HSPB-4040	4040	MF3-HSPB-7365	7365
MF3-HSPB-2120	2120	MF3-HSPB-2725	2725	MF3-HSPB-4050	4050	MF3-HSPB-7450	7450
MF3-HSPB-2125	2125	MF3-HSPB-2750	2750	MF3-HSPB-4060	4060	MF3-HSPB-7500	7500
MF3-HSPB-2130	2130	MF3-HSPB-2760	2760	MF3-HSPB-4100	4100	MF3-HSPB-7620	7620
MF3-HSPB-2140	2140	MF3-HSPB-2775	2775	MF3-HSPB-4200	4200	MF3-HSPB-7990	7990
MF3-HSPB-2150	2150	MF3-HSPB-2800	2800	MF3-HSPB-4250	4250	MF3-HSPB-8000	8000
MF3-HSPB-2170	2170	MF3-HSPB-2825	2825	MF3-HSPB-4300	4300	MF3-HSPB-8100	8100
MF3-HSPB-2175	2175	MF3-HSPB-2840	2840	MF3-HSPB-4310	4310	MF3-HSPB-8300	8300
MF3-HSPB-2180	2180	MF3-HSPB-2850	2850	MF3-HSPB-4320	4320	MF3-HSPB-8500	8500
MF3-HSPB-2190	2190	MF3-HSPB-2875	2875	MF3-HSPB-4380	4380	MF3-HSPB-8750	8750
MF3-HSPB-2200	2200	MF3-HSPB-2900	2900	MF3-HSPB-4400	4400	MF3-HSPB-9000	9000
MF3-HSPB-2225	2225	MF3-HSPB-2920	2920	MF3-HSPB-4500	4500	MF3-HSPB-9100	9100
MF3-HSPB-2240	2240	MF3-HSPB-2925	2925	MF3-HSPB-4550	4550	MF3-HSPB-9140	9140
MF3-HSPB-2250	2250	MF3-HSPB-2950	2950	MF3-HSPB-4560	4560	MF3-HSPB-9331	9331
MF3-HSPB-2275	2275	MF3-HSPB-2975	2975	MF3-HSPB-4600	4600		
MF3-HSPB-2280	2280	MF3-HSPB-2990	2990	MF3-HSPB-4663	4663		
MF3-HSPB-2300	2300	MF3-HSPB-3000	3000	MF3-HSPB-4680	4680		

# PIX-Muscle®-HXS3


## Product range




HSPC		HSPC		HSPC		HSPC	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-HSPC-2267	2267	MF3-HSPC-3875	3875	MF3-HSPC-5850	5850	MF3-HSPC-8750	8750
MF3-HSPC-2300	2300	MF3-HSPC-3900	3900	MF3-HSPC-5865	5865	MF3-HSPC-8800	8800
MF3-HSPC-2360	2360	MF3-HSPC-3950	3950	MF3-HSPC-5900	5900	MF3-HSPC-8850	8850
MF3-HSPC-2390	2390	MF3-HSPC-3970	3970	MF3-HSPC-5950	5950	MF3-HSPC-8900	8900
MF3-HSPC-2400	2400	MF3-HSPC-4000	4000	MF3-HSPC-6000	6000	MF3-HSPC-8950	8950
MF3-HSPC-2440	2440	MF3-HSPC-4100	4100	MF3-HSPC-6200	6200	MF3-HSPC-9000	9000
MF3-HSPC-2450	2450	MF3-HSPC-4150	4150	MF3-HSPC-6230	6230	MF3-HSPC-9250	9250
MF3-HSPC-2500	2500	MF3-HSPC-4200	4200	MF3-HSPC-6300	6300	MF3-HSPC-9300	9300
MF3-HSPC-2550	2550	MF3-HSPC-4250	4250	MF3-HSPC-6400	6400	MF3-HSPC-9500	9500
MF3-HSPC-2650	2650	MF3-HSPC-4400	4400	MF3-HSPC-6480	6480	MF3-HSPC-10000	10000
MF3-HSPC-2655	2655	MF3-HSPC-4445	4445	MF3-HSPC-6500	6500	MF3-HSPC-10500	10500
MF3-HSPC-2750	2750	MF3-HSPC-4500	4500	MF3-HSPC-6600	6600	MF3-HSPC-10600	10600
MF3-HSPC-2780	2780	MF3-HSPC-4570	4570	MF3-HSPC-6700	6700	MF3-HSPC-11000	11000
MF3-HSPC-2800	2800	MF3-HSPC-4580	4580	MF3-HSPC-6785	6785	MF3-HSPC-11200	11200
MF3-HSPC-2850	2850	MF3-HSPC-4600	4600	MF3-HSPC-6800	6800	MF3-HSPC-11500	11500
MF3-HSPC-2900	2900	MF3-HSPC-4650	4650	MF3-HSPC-6900	6900	MF3-HSPC-11800	11800
MF3-HSPC-2950	2950	MF3-HSPC-4750	4750	MF3-HSPC-6925	6925	MF3-HSPC-12000	12000
MF3-HSPC-3000	3000	MF3-HSPC-4800	4800	MF3-HSPC-7000	7000	MF3-HSPC-12500	12500
MF3-HSPC-3030	3030	MF3-HSPC-4850	4850	MF3-HSPC-7100	7100	MF3-HSPC-12800	12800
MF3-HSPC-3050	3050	MF3-HSPC-4900	4900	MF3-HSPC-7300	7300	MF3-HSPC-13000	13000
MF3-HSPC-3055	3055	MF3-HSPC-4950	4950	MF3-HSPC-7480	7480	MF3-HSPC-14500	14500
MF3-HSPC-3100	3100	MF3-HSPC-4980	4980	MF3-HSPC-7500	7500	MF3-HSPC-15000	15000
MF3-HSPC-3150	3150	MF3-HSPC-5000	5000	MF3-HSPC-7530	7530	MF3-HSPC-16575	16575
MF3-HSPC-3200	3200	MF3-HSPC-5080	5080	MF3-HSPC-8000	8000	MF3-HSPC-17000	17000
MF3-HSPC-3250	3250	MF3-HSPC-5150	5150	MF3-HSPC-8050	8050	MF3-HSPC-18000	18000
MF3-HSPC-3350	3350	MF3-HSPC-5250	5250	MF3-HSPC-8100	8100	MF3-HSPC-19500	19500
MF3-HSPC-3375	3375	MF3-HSPC-5300	5300	MF3-HSPC-8150	8150	MF3-HSPC-20000	20000
MF3-HSPC-3380	3380	MF3-HSPC-5390	5390	MF3-HSPC-8200	8200	MF3-HSPC-21500	21500
MF3-HSPC-3450	3450	MF3-HSPC-5450	5450	MF3-HSPC-8250	8250	MF3-HSPC-21750	21750
MF3-HSPC-3500	3500	MF3-HSPC-5480	5480	MF3-HSPC-8300	8300	MF3-HSPC-22000	22000
MF3-HSPC-3550	3550	MF3-HSPC-5500	5500	MF3-HSPC-8310	8310	MF3-HSPC-22943	22943
MF3-HSPC-3600	3600	MF3-HSPC-5525	5525	MF3-HSPC-8350	8350		
MF3-HSPC-3650	3650	MF3-HSPC-5550	5550	MF3-HSPC-8400	8400		
MF3-HSPC-3700	3700	MF3-HSPC-5575	5575	MF3-HSPC-8450	8450		
MF3-HSPC-3750	3750	MF3-HSPC-5600	5600	MF3-HSPC-8500	8500		
MF3-HSPC-3780	3780	MF3-HSPC-5650	5650	MF3-HSPC-8550	8550		
MF3-HSPC-3810	3810	MF3-HSPC-5700	5700	MF3-HSPC-8600	8600		
MF3-HSPC-3820	3820	MF3-HSPC-5750	5750	MF3-HSPC-8650	8650		
MF3-HSPC-3850	3850	MF3-HSPC-5800	5800	MF3-HSPC-8700	8700		

# PIX-Muscle®-HXS3

## Product range



H3V		H3V		H3V		H3V	
Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length
MF3-H3V-370	37.0	MF3-H3V-550	55.0	MF3-H3V-800	80.0	MF3-H3V-1220	122.0
MF3-H3V-375	37.5	MF3-H3V-560	56.0	MF3-H3V-830	83.0	MF3-H3V-1250	125.0
MF3-H3V-400	40.0	MF3-H3V-565	56.5	MF3-H3V-850	85.0	MF3-H3V-1300	130.0
MF3-H3V-410	41.0	MF3-H3V-580	58.0	MF3-H3V-900	90.0	MF3-H3V-1320	132.0
MF3-H3V-425	42.5	MF3-H3V-590	59.0	MF3-H3V-920	92.0	MF3-H3V-1350	135.0
MF3-H3V-430	43.0	MF3-H3V-600	60.0	MF3-H3V-950	95.0	MF3-H3V-1380	138.0
MF3-H3V-440	44.0	MF3-H3V-630	63.0	MF3-H3V-1000	100.0	MF3-H3V-1400	140.0
MF3-H3V-450	45.0	MF3-H3V-632	63.2	MF3-H3V-1060	106.0	MF3-H3V-1500	150.0
MF3-H3V-475	47.5	MF3-H3V-650	65.0	MF3-H3V-1080	108.0	MF3-H3V-1520	152.0
MF3-H3V-495	49.5	MF3-H3V-670	67.0	MF3-H3V-1100	110.0	MF3-H3V-1600	160.0
MF3-H3V-500	50.0	MF3-H3V-700	70.0	MF3-H3V-1120	112.0	MF3-H3V-1700	170.0
MF3-H3V-520	52.0	MF3-H3V-709	70.9	MF3-H3V-1150	115.0	MF3-H3V-1800	180.0
MF3-H3V-525	52.5	MF3-H3V-710	71.0	MF3-H3V-1180	118.0		
MF3-H3V-530	53.0	MF3-H3V-730	73.0	MF3-H3V-1181	118.1		
MF3-H3V-532	53.2	MF3-H3V-750	75.0	MF3-H3V-1200	120.0		




H5V		H5V		H5V		H5V	
Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length
MF3-H5V-510	51.0	MF3-H5V-1110	111.0	MF3-H5V-1650	165.0	MF3-H5V-3150	315.0
MF3-H5V-530	53.0	MF3-H5V-1120	112.0	MF3-H5V-1664	166.4	MF3-H5V-3350	335.0
MF3-H5V-550	55.0	MF3-H5V-1130	113.0	MF3-H5V-1673	167.3	MF3-H5V-3450	345.0
MF3-H5V-560	56.0	MF3-H5V-1150	115.0	MF3-H5V-1700	170.0	MF3-H5V-3550	355.0
MF3-H5V-600	60.0	MF3-H5V-1155	115.5	MF3-H5V-1720	172.0	MF3-H5V-3556	355.6
MF3-H5V-630	63.0	MF3-H5V-1180	118.0	MF3-H5V-1730	173.0	MF3-H5V-3800	380.0
MF3-H5V-650	65.0	MF3-H5V-1197	119.7	MF3-H5V-1750	175.0	MF3-H5V-4030	403.0
MF3-H5V-670	67.0	MF3-H5V-1200	120.0	MF3-H5V-1770	177.0	MF3-H5V-4150	415.0
MF3-H5V-700	70.0	MF3-H5V-1210	121.0	MF3-H5V-1800	180.0	MF3-H5V-4270	427.0
MF3-H5V-710	71.0	MF3-H5V-1230	123.0	MF3-H5V-1880	188.0	MF3-H5V-5000	500.0
MF3-H5V-750	75.0	MF3-H5V-1240	124.0	MF3-H5V-1900	190.0	MF3-H5V-5300	530.0
MF3-H5V-800	80.0	MF3-H5V-1250	125.0	MF3-H5V-1950	195.0	MF3-H5V-6020	602.0
MF3-H5V-815	81.5	MF3-H5V-1260	126.0	MF3-H5V-1960	196.0	MF3-H5V-6190	619.0
MF3-H5V-835	83.5	MF3-H5V-1270	127.0	MF3-H5V-1970	197.0	MF3-H5V-6480	648.0
MF3-H5V-850	85.0	MF3-H5V-1280	128.0	MF3-H5V-2000	200.0	MF3-H5V-6810	681.0
MF3-H5V-870	87.0	MF3-H5V-1290	129.0	MF3-H5V-2030	203.0	MF3-H5V-7000	700.0
MF3-H5V-900	90.0	MF3-H5V-1310	131.0	MF3-H5V-2050	205.0	MF3-H5V-7130	713.0
MF3-H5V-920	92.0	MF3-H5V-1320	132.0	MF3-H5V-2060	206.0	MF3-H5V-7270	727.0
MF3-H5V-925	92.5	MF3-H5V-1330	133.0	MF3-H5V-2110	211.0	MF3-H5V-7340	734.0
MF3-H5V-930	93.0	MF3-H5V-1340	134.0	MF3-H5V-2115	211.5	MF3-H5V-7590	759.0
MF3-H5V-950	95.0	MF3-H5V-1370	137.0	MF3-H5V-2120	212.0	MF3-H5V-7630	763.0
MF3-H5V-975	97.5	MF3-H5V-1399	139.9	MF3-H5V-2180	218.0	MF3-H5V-7840	784.0
MF3-H5V-985	98.5	MF3-H5V-1400	140.0	MF3-H5V-2240	224.0	MF3-H5V-8000	800.0
MF3-H5V-995	99.5	MF3-H5V-1405	140.5	MF3-H5V-2300	230.0	MF3-H5V-8070	807.0
MF3-H5V-1000	100.0	MF3-H5V-1407	140.7	MF3-H5V-2330	233.0	MF3-H5V-8160	816.0
MF3-H5V-1010	101.0	MF3-H5V-1420	142.0	MF3-H5V-2360	236.0	MF3-H5V-8260	826.0
MF3-H5V-1020	102.0	MF3-H5V-1430	143.0	MF3-H5V-2450	245.0	MF3-H5V-8540	854.0
MF3-H5V-1030	103.0	MF3-H5V-1460	146.0	MF3-H5V-2500	250.0	MF3-H5V-8630	863.0
MF3-H5V-1040	104.0	MF3-H5V-1464	146.4	MF3-H5V-2520	252.0	MF3-H5V-8740	874.0
MF3-H5V-1043	104.3	MF3-H5V-1476	147.6	MF3-H5V-2550	255.0	MF3-H5V-8800	880.0
MF3-H5V-1055	105.5	MF3-H5V-1500	150.0	MF3-H5V-2650	265.0	MF3-H5V-8920	892.0
MF3-H5V-1060	106.0	MF3-H5V-1524	152.4	MF3-H5V-2750	275.0	MF3-H5V-9050	905.0
MF3-H5V-1070	107.0	MF3-H5V-1550	155.0	MF3-H5V-2800	280.0	MF3-H5V-9180	918.0
MF3-H5V-1080	108.0	MF3-H5V-1575	157.5	MF3-H5V-2900	290.0	MF3-H5V-9200	920.0
MF3-H5V-1090	109.0	MF3-H5V-1595	159.5	MF3-H5V-2920	292.0		
MF3-H5V-1098	109.8	MF3-H5V-1600	160.0	MF3-H5V-3000	300.0		
MF3-H5V-1106	110.6	MF3-H5V-1614	161.4	MF3-H5V-3050	305.0		



# PIX-Muscle®-HXS3

## Product range



H8V		H8V		H8V		H8V	
Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length
MF3-H8V-1000	100.0	MF3-H8V-2240	224.0	MF3-H8V-3800	380.0	MF3-H8V-7000	700.0
MF3-H8V-1060	106.0	MF3-H8V-2250	225.0	MF3-H8V-3820	382.0	MF3-H8V-7250	725.0
MF3-H8V-1120	112.0	MF3-H8V-2350	235.0	MF3-H8V-3850	385.0	MF3-H8V-7300	730.0
MF3-H8V-1180	118.0	MF3-H8V-2360	236.0	MF3-H8V-3920	392.0	MF3-H8V-7500	750.0
MF3-H8V-1250	125.0	MF3-H8V-2500	250.0	MF3-H8V-3940	394.0	MF3-H8V-7600	760.0
MF3-H8V-1320	132.0	MF3-H8V-2540	254.0	MF3-H8V-4000	400.0	MF3-H8V-7750	775.0
MF3-H8V-1330	133.0	MF3-H8V-2600	260.0	MF3-H8V-4050	405.0	MF3-H8V-7850	785.0
MF3-H8V-1400	140.0	MF3-H8V-2650	265.0	MF3-H8V-4060	406.0	MF3-H8V-8000	800.0
MF3-H8V-1500	150.0	MF3-H8V-2700	270.0	MF3-H8V-4250	425.0	MF3-H8V-8100	810.0
MF3-H8V-1575	157.5	MF3-H8V-2750	275.0	MF3-H8V-4500	450.0	MF3-H8V-8250	825.0
MF3-H8V-1600	160.0	MF3-H8V-2800	280.0	MF3-H8V-4740	474.0	MF3-H8V-8400	840.0
MF3-H8V-1650	165.0	MF3-H8V-3000	300.0	MF3-H8V-4750	475.0	MF3-H8V-8500	850.0
MF3-H8V-1700	170.0	MF3-H8V-3140	314.0	MF3-H8V-5000	500.0	MF3-H8V-8600	860.0
MF3-H8V-1750	175.0	MF3-H8V-3150	315.0	MF3-H8V-5125	512.5	MF3-H8V-8750	875.0
MF3-H8V-1800	180.0	MF3-H8V-3200	320.0	MF3-H8V-5250	525.0	MF3-H8V-8800	880.0
MF3-H8V-1870	187.0	MF3-H8V-3300	330.0	MF3-H8V-5500	550.0	MF3-H8V-8900	890.0
MF3-H8V-1874	187.4	MF3-H8V-3350	335.0	MF3-H8V-5600	560.0	MF3-H8V-9000	900.0
MF3-H8V-1900	190.0	MF3-H8V-3470	347.0	MF3-H8V-5670	567.0	MF3-H8V-9100	910.0
MF3-H8V-2000	200.0	MF3-H8V-3500	350.0	MF3-H8V-6000	600.0	MF3-H8V-9200	920.0
MF3-H8V-2040	204.0	MF3-H8V-3550	355.0	MF3-H8V-6250	625.0		
MF3-H8V-2100	210.0	MF3-H8V-3600	360.0	MF3-H8V-6500	650.0		
MF3-H8V-2120	212.0	MF3-H8V-3750	375.0	MF3-H8V-6750	675.0		

## Accessories



PIX-Service Kit



PIX-Digital Tension Meter



PIX-X'Align  
(Laser-guided, Pulley Alignment Tool)



PIX-Mobile APP